I 49.89:82-47-1/map C17

MMS 85-0011
FWS/OBS-82/47.1

MAP C17

Inverness

FLORIDA ECOLOGICAL ATLAS

SOILS AND LANDFORMS



ORIGINAL

Scale 1:100 000

TOPICAL MAPS IN THIS ATLAS:

A. BIOLOGICAL RESOURCES
B. SOCIOECONOMIC FEATURES
C. SOILS AND LANDFORMS
D. OIL, GAS AND MINERALS
E. HYDROLOGY AND CLIMATOLOGY

1984

Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal Transverse Mercator
10,000-foot grid ticks based on Florida coordinate



Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal Transverse Mercator
10,000-meter grid ticks based on Florida coordinate system, west zone

Overlay material compiled in 1983 from latest available data obtained from Federal, State and Local government agencies and other sources.

MAJOR SURFACE LANDFORMS

Western Highlands	Fountain Slope
Escambia Valley	Grand Ridge
Gulf Coastal Lowlands	Northern Highlands
Gulf Barrier Chain	Coastal Swamps
Marianna Lowlands	Brooksville Ridge
New Hope Ridge	Western Valley
Crowhead Slope	

SOIL ASSOCIATIONS

1. Lakeland-Eustis-Lakewood Association
2. Lakeland-Tavares and Sparr-Sumterville-Candler-Red Cockaded Woodpecker Association
3. Red Bay-Malabar Association
4. Tifton-Carnegie-Faceville Association
5. Norfolk-Ruston-Savannah Association
6. Orangeburg-Fuquay-Lucy-Blanton-Wagram Association
7. Elk Lower Association
8. Hurlabee-Kalmia-Legore Association
9. Coastal Dune Land and Beach-Tidal Marsh Association
10. Swamp-Portsmouth-Coastal Land Fresh Water Swamp-Pamlico Association
11. Lakeland-Pasco-Kureb-St. Lucie-Rimini Association
12. Lakeland-Troup Association
13. Troup-Orangeburg Association
14. Dothan-Orangeburg Association
15. Red Bay-Lucy Association
16. Ruston-Malabar Association



1. Tifton-Carnegie-Faceville Association
2. Norfolk-Redbill-Savannah Association
3. Tifton-Irvington-Lynchburg Association
4. Tifton Association
5. Hurricane-Kalmia-Leaphis Association
6. Coastal Dune Land and Beach-Tidal Marsh Association
7. Plummer-Portage-Arkansal Land-Fresh Water Association
8. Lakeland-Arredondo Association
9. Lakeland-Pheba-Kendrick-Lucy-Ronnie Association
10. Lakeland Association
11. Troup-Orangeburg Association
12. Bethera-Fuquay Association
13. Red Bay Association
14. Dothan-Fuquay Association
15. Johnston Association
16. Salt Water Marsh-Basin-Dregs Association
17. Fuquay-Lucy-Troup Association
18. Lucian-Orangeburg-Tifton Association
19. Dothan-Orangeburg Association
20. Chipley-Albany-Lucy Association
21. Ardilla-Lochloosa-Ortega Association
22. Tifton-Faceville-Greenville Association
23. Norfolk-Redbill-Savannah Association
24. Tifton-Faceville-Greenville Association
25. Lakeland-Centenary-Duckston Association
26. Blanton-Kitty-Plummer Association
27. Lochloosa-Lynchburg-Pamlico Association
28. Lochloosa-Lynchburg Association
29. Lakeland-Foxworth-Centenary Association
30. Lochloosa-Albany-Dothan Association
31. Hurricane-Chipley-Albany Association
32. Plummer-Portage-Arkansal Association
33. Plummer-Pelham Association
34. Portage-Allanton-Pickney Association
35. Chipley-Albany-Dothan Association
36. Lean-Albany-Plummer-Chipley-Dover Association
37. Albany-Dothan Association
38. Dothan-Orangeburg-Red Bay Association
39. Ardilla-Lochloosa-Pamlico Association
40. Chipley-Albany-Blanton Association
41. Lean-Felda-Mahmon Association
42. Dothan-Orangeburg-Red Bay Association
43. Alpin-Blanton-Dothan Association
44. Ardilla-Lochloosa-Pamlico Association
45. Chipley-Albany-Plummer Association
46. Lean-Mascotte-Portage Association
47. Mascotte-Portage-Pamlico Association
48. Myakka, or Wabasso, Occupied Tar Association
49. Fresh Water Swamp, Shallow to Limestone Association
50. Salt Water Marsh and Swamp-Coastal Dunes Association
51. Alpin-Blanton Association
52. Lochloosa-Pamlico Association
53. Ortega-Ona-Chiefland-Blanton Association
54. Candler-Apopka Association
55. Jonesville-Chiefland-Archer Association
56. Arredondo-Gainesville Association
57. Jonesville-Chiefland-Archer Association
58. Kanapaha-Lochloosa-Tavares Association
59. Kanapaha-Deer Association
60. Bushnell-Malpaso-Felda Association
61. Bluffton-Pamlington-Kanapaha Association
62. Lean-Mascotte-Sunnery Association

FLOWLANDS
WESTERN VALLEY
SCALE 1:100 000
1 CENTIMETRE ON THE MAP REPRESENTS 1 KILOMETRE ON THE GROUND
CONTOUR INTERVAL 5 METERS

THE FLORIDA ECOLOGICAL ATLAS WAS PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE'S DIVISION OF ECOLOGICAL SERVICES, NATIONAL COASTAL ECOSYSTEMS TEAM IN COOPERATION WITH THE FLORIDA DEPARTMENT OF COMMUNITY AFFAIRS, PLANNERS, DECISION MAKERS, AND THE GENERAL PUBLIC TO DETERMINE AND EVALUATE THE IMPACTS OF PROPOSED DEVELOPMENT ON FISH AND WILDLIFE RESOURCES, AND THE MAINTENANCE OF ECOLOGICAL DIVERSITY. THE STUDY AREA INCLUDES THE COASTAL COUNTIES: ESCAMBIA, SANTA ROSA, OKALOOSA, WALTON, BAY, GULF, FRANKLIN, WAKULLA, JEFFERSON, TAYLOR, DIXIE, LEVY, CITRUS AND HERNANDO, AND EXTENDS OFFSHORE APPROXIMATELY 10 MILES. THERE IS NO ATTEMPT IN THE DESIGN OF THIS ATLAS TO DELINEATE, DEFINE, OR LIMIT THE STATE'S AUTHORITY OR JURISDICTION OF ANY FEDERAL STATE, OR LOCAL GOVERNMENT TO EXTABLISH THE GEOGRAPHICAL SCOPE OF THE REGULATORY PROGRAMS OF GOVERNMENT AGENCIES.

THIS MAP HAS BEEN COMPILED FROM A VARIETY OF SOURCE MATERIALS INCLUDING MAPS, AERIAL PHOTOS, AND REPORTS. SINCE MANY SOURCES, PARTICULARLY AERIAL PHOTOGRAPHS, ARE SUBJECT TO MAP MAKING DISTORTIONS, THE USER SHOULD NOTE THAT THESE MAPS FOR PRECISE MEASUREMENTS OF DISTANCES OR AREAS.

PRIMARY SOURCES OF MAPPED INFORMATION:

LANDFORMS: Photographic Map of Florida. Santa Barbara Publishers, 1986.

ROAD: General State Atlas of Florida. Division of State Planning, 1976.
Topographic Maps, 1:24,000 Scale, U.S. Geological Survey, various dates.

ACTIVE DUNES: Black and White Aerial Photographs, 1:80,000 Scale, Miami Hurd Aerial Surveys, 1981.
Topographic Maps, 1:24,000 Scale, U.S. Geological Survey, various dates.

GEOLOGIC FAULTS: Map of Escambia and Santa Rosa Counties and Parts of Adjacent Areas of the Coastal Lowlands of the Northern Gulf Coast. Florida Bureau of Geology, 1985.

FOR COMPLETE REFERENCES SEE MAP NARRATIVE

10. Plummer-Rutlege-Atlantal Land-Fresh Water Swamp Association: Nearly level to slightly depressional soils with a thick surface layer of sand, a loamy subsoil and very poorly drained soils that are sandy throughout.
18. Salt Water Marsh-Beach-Dunegs Association: Nearly level, very poorly drained soils subject to frequent flooding by tidal waters.
66. Candler-Paola-Tavares Association: Nearly level to sloping, excessively drained soils with very thick sandy layers over thick loamy or sandy layers. Samellia and excessively and moderately well-drained soils, sandy throughout.
67. Candler-Adamsville-Pompano Association: Nearly level to sloping, excessively drained soils with very thick sandy layers over thin loamy or sandy loam lamellia and somewhat poorly and poorly drained soils, sandy throughout.
68. Arcadinda-Sandrich Association: Nearly level to sloping, well drained soils with very thick sandy layers over loamy subsoil.
69. Brownell-Bona Association: Nearly level, somewhat poorly drained soils with a thick surface layer of sand and loamy subsoil and very poorly drained soils that are sandy throughout.
70. Pamlico-Myakka-Basinger Association: Nearly level, somewhat poorly drained sands with very thick organic layers over loamy material and somewhat poorly drained sands over loamy material.
71. Myakka-Basinger Association: Nearly level, poorly drained sands with weakly cemented sandy subsoil and poorly drained soils, sandy throughout.
72. Maggett, var. Pompano Association: Nearly level, poorly drained soils with thin loamy layers over clayey subsoil and poorly drained soils, sandy throughout.
73. Terra Ceia-Placid Association: Nearly level, very poorly drained soil decomposed organic soils 52 to 80 inches thick over clayey subsoil and very poorly drained soils, sandy throughout.
74. Arcadinda-Sparr-Kendrick Association: Nearly level to sloping, well drained and somewhat poorly drained sandy soils over loamy material.
75. Candler-Lake Association: Nearly level to sloping, excessively drained sands with some lamellae of loamy sand and sandy loam present in the deeper horizons.
77. Riddleton-Bichton-Farmington Association: Nearly level to strongly sloping, poorly drained fine sands and sandy loams overlying loamy and clayey material.
78. Eustis-Ona-Wekeeva-Basinger Association: Nearly level, poorly drained sandy soils which are either sandy throughout or overlie loamy material.
79. Paisley-Floridana-Wekeeva Association: Nearly level, poorly drained sandy soils overlying a clayey subsoil or loamy material.
80. Okeelanta-Aripeka-Terra Ceia Association: Nearly level, very poorly drained soils that are overlying sandy material or loamy soils overlying limestone.
81. Homosassa-Weekiwachee-Lanoches Association: Nearly level, very poorly drained organic and mineral soils, and poorly drained, thin, sandy soils overlying limestone which are subject to frequent tidal flooding.
82. Floridana-Basinger Association: Nearly level, poorly drained sandy soils which are sandy throughout or overlie loamy material.

E = ft/yr — BEACH EROSION AREA (Period of Record: 1957-1981; Gov. of West Florida, 1981)

A = ft/yr — BEACH ACCRETION AREA (Period of Record: 1957-1981; Gov. of West Florida, 1981)

GULF BARRIER ISLAND

ACTIVE DUNE AREA

U / D — NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

U / D — SUB-SURFACE NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

STUDY AREA BOUNDARY

Offshore

Inland (County)

Inland (State)

53. Alpin-Blanton Association
54. Chipley-Benndale Association
55. Dothan-Orangeburg-Shellfield-Blanton Association
56. Candler-Apopka Association
57. Lowndesville-Chenhaut-Archer Association
58. Arcadinda-Conneaufe Association
59. Arcadinda-Archer-Chenhaut Association
60. Upper-Lochloosa-Tavares Association
61. Lochloosa-Tavares Association
62. Bushnell-Wekeeva-Fields Association
63. Bichton-Flemington-Kanapaha Association
64. Lochloosa-Pomona-Kendrick Association
65. Lake-Tavares-Pomona Association
66. Candler-Paola-Tavares Association
67. Candler-Adamsville-Pompano Association
68. Arcadinda-Kendrick Association
69. Brownell-Bona Association
70. Pamlico-Myakka-Basinger Association
71. Myakka-Basinger Association
72. Maggett, var. Pompano Association
73. Terra Ceia-Placid Association
74. Arcadinda-Sparr-Kendrick Association
75. Candler-Lake Association
76. Wauchula Association
77. Riddleton-Bichton-Flemington Association
78. Eustis-Ona-Wekeeva-Basinger Association
79. Paisley-Floridana-Wekeeva Association
80. Okeelanta-Aripeka-Terra Ceia Association
81. Homosassa-Weekiwachee-Lanoches Association
82. Floridana-Basinger Association
83. Salt Water Marsh and Swamp Association
84. Plummer-Rutlege-Atlantal Association
85. Bichton-Lochloosa-Arcadia Association
86. Paisley-Bushnell Association
87. Myakka-Pamello Association

MISSING/LAND FROM BEST AVAILABLE COPY